

Swing



Impulse Machines





Design and user interface

- Elegant and uncluttered design.
- Capacitive keyboard and wide graphical display.
- LED lighting inside the white cabinet for maximum visibility of the displayed products.



Maximum flexibility

- Up to 6 trays which can be easily moved thanks to Vertical Flex (V-Flex) system.
- Space optimisation inside the cabinet.
- With two **optional** Visioshop trays it is possible to create a special area for products with non standard packaging.
- Enhanced ETL trays (depending on model).
- Wider delivery bin.



High energy efficiency

- C class according to EN 50597 scale.
- Perfect insulation of the cabinet.
- Cooling unit with R290 gas.
- High energy efficiency and dramatic decrease of pull down time.
- Swing can manage up to two temperatures inside the cabinet.



Electronics

- Swing is compatible with Newis Hi! solution.

| Features | |
|--------------------------|--------------|
| Height | 1830mm |
| Width | 900mm |
| Depth | 875mm |
| Depth (Without Vend Bin) | 800mm |
| Depth (Door Open) | 1495mm |
| Weight | 300kg approx |


Swing



An elegant and uncluttered design



High visibility cabinet



Necta reserves the right to alter specifications without notice.

| | Swing | | | | | |
|---------------|--------|--------|---------------------|--------|--------------|----------|
| Product Code | 9E0255 | 9E0256 | 9E0253 | 9E0254 | 9E0253-1 | 9E0254-1 |
| Model | Snack | | Snack, Can & Bottle | | Can & Bottle | |
| ETL | NO | YES | NO | YES | NO | YES |
| No of Trays | 6 | | 6 | | 5 | |
| Selections | 36 | | 40 | | 40 | |
| Capacity | 466 | | 416 | | 240 | |
| Snacks | 120 | | 80 | | - | |
| Confectionery | 346 | | 240 | | - | |
| Bottles | - | | 48 | | 144 | |
| Cans | - | | 48 | | 96 | |



necta.evocagroup.com



EVCA SPA

Via Roma 24, 24030 Valbrembo (BG) Italia
Tel. +39 035 606111 - Fax +39 035 606519

EVCA UK LTD

Prime Point, Mark Binner Way, Pensnett Trading Estate, Kingswinford. DY6 7TJ
T: 01902 355 000 - E: sales.uk@evocagroup.com



ISO 9001 : 2015

ISO 14001 : 2015

BS OHSAS 18001:2007