



COTITM 2 Lite

The Future of Coffee, Today

Where Ease Meets the Art of Everyday Coffee



craneTM
CONVENIENCE



Designed for Performance.

Built for Growth.

The COTI2 is designed for businesses seeking a premium, modern and reliable coffee solution that stands out. It features a refreshed, elegant look with an open LED lit serving area, a 27" touch screen and updated key components for improved operations and hassle-free cleaning.

This model is ideal for operators looking to impress while minimizing operating costs and maximizing uptime.

- **27" Interactive touch screen:** Enjoy a vibrant and faster user interface for a premium consumer experience
- **Modern and Sleek design:** the refreshed look with its asymmetry, aroma diffuser and open LED lit serving area are designed to deliver a true coffee bar experience.
- **Refreshed UI/UX** with modern workflow and simplified ordering process
- **Durable and easily removable components** for hassle-free cleaning. Updated mixing system and dispense head.
- **Optional vend door, aroma diffuser and dry sugar**



Customize Every
Touchpoint



Boost Sales



Maximize Uptime

Essential Features with a Premium Coffee Experience

From the moment someone approaches COTI2 Lite, the experience feels different. Its asymmetrical design, bright LED-lit serving area and sculptural lines create a visual presence that feels more like a modern retail kiosk than a traditional vending machine.

The large 27 inch touchscreen invites users into a smooth, refreshingly simple ordering flow. Every tap is clear. Every animation feels intentional. Every drink selection is guided by a refined, modern UI created to make the process feel natural, even for first-time users.

Behind the polished exterior, COTI2 Lite supports operators with thoughtful engineering that makes daily routines easier. Removable components, an updated mixing system and an improved dispense head simplify cleaning and reduce time spent on upkeep. Durable parts help ensure the machine performs consistently throughout heavy daily use.

The result is a machine that looks premium on the outside and feels practical on the inside, a perfect blend for operators managing multiple locations with busy foot traffic.

Ready to
elevate
your coffee
offering?



Technical Specifications

ENERGY	
Power Supply Voltage	220–240V
Power Supply Frequency	50/60 Hz
Energy Consumption	Instant and FB models: 125 wh/h Espresso model: 146 wh/h
Energy Saving Mode	Programmable energy saving mode
Installed Power	2.27 kW
DIMENSIONS	
H x W x D (mm)	1830 x 795 x 700
Weight (kg)	200
Door Open Dimensions	Width: 1395mm at max open position Depth: 1425mm door at 90°
PRODUCT CAPACITY	
Beans (kg)	3.5
Ground Coffee (kg)	1.5
Leaf Tea (kg)	1.7
Instant Coffee (kg)	1
Chocolate (kg)	2.7/5.8
Milk (kg)	2.5
Cappuccino Milk (kg)	2.2/4.7
Sugar (kg)	3.4
Soup	Variable
No. of Cups	Up to 800 cups
WASTE CAPACITY	
Waste Bucket Capacity	24 litres (Dry) and 9 litres (Liquid)
WATER	
Water Main Pressure	200 Kpa (2 bar)–600 Kpa (6 bar)
Stopcock	15mm BSP from rising main
Filtration	Compatible with leading systems
PAYMENT SYSTEMS	
Coins	Yes
Notes	Yes
Cashless	Yes
Free Vend	Yes
DISPENSING SYSTEMS	
Brewing System Coffee	Co-Ex (Coffee & Espresso) Capacity– from 6.5 to 9.5 grams
Brewing System Tea	Crane Oltre Brewer
Mixing System	Crane mixing system
Grinder	Componenti
Cup Drop Unit	Crane cup drop unit (Plastic, paper, single/dual walled cups)
Cup Diameter	70mm, 73mm, 80mm
Cup Size	7oz (180ml), 9oz (250ml), 12oz (350ml)
INTERFACE	
User Interface	Touch screen
Screen Size	27" portrait HD colour display
Screen Dimensions	336 mm x 597mm portrait
Screen Resolution	1920 x 1080 pixels
Screen Performance	16.7M colours (RGB 8-bit data)
Connectivity	4G (Optional: Ethernet)
ACCESSORIES	
Cup Sensor	SureVend™ cup sensor fitted as standard on all models
LED Lit Vend Area	Yes
Vend Door	Optional
Stick Stirrer Dispenser	Optional
Dry Sugar Kit	Optional
Jug Facility	Yes (jug code), Option of jug key
Aroma Diffuser	Optional
Electronic Temperature Control	Yes
Electronic Water Level Control	Yes
USB Connectivity	3 x USB 2.0
EVA/DTS Communication Module	via DEX port
DISPENSE TIMES (160ML SERVING)	
Bean to Cup	39 seconds
Freshbrew	35 seconds
Instant Coffee	17 seconds




Canister Layouts and Drink Menus


		S200	E202	E200
		1	2	3
		Single Freshbrew Tea	Espresso + Freshbrew Tea (Instant Coffee)	Espresso + Freshbrew Tea (Soup)
From Beans	Drinks Menu			
	Americano		•	•
	Flat White		•	•
	Cappuccino		•	•
	Café Latte		•	•
	Caffe Mocha		•	•
	Espresso		•	•
Ground Coffee	Double Espresso		•	•
	Americano		•	•
	Flat White		•	•
	Cappuccino		•	•
	Café Latte		•	•
	Caffe Mocha		•	•
	Americano	• •	•	
Instant	Flat White	• •	•	
	Cappuccino	• •	•	
	Café Latte	• •	•	
	Caffe Mocha	• •	•	
	Espresso	•		
	Double Espresso	•		
	Fresh Leaf Tea	•	•	•
	Hot Chocolate	•	•	•
	Chocomilk	•	•	•
	Soup	•		•
	Hot Water	•	•	•
	Cold Water	•	•	•
	Cold Drink 1	•	•	•
	Cold Drink 2	•	•	•

• Decaff selection available


1 S200



2 E202



3 E200



Learn more

CLICK HERE